



AIR DUCT CLEANING MACHINE

AB-204

Portable Air Duct Cleaning
Routing Brush & Vacuum



www.nadca.ae

KT-926 Product function characteristics

no dead corner
30m
Clearing distance



50-1000mm Cleaning diameter | Clean all kinds of dirt

www.nadca.ae

It is suitable for dust cleaning of air duct of central air conditioning, internal cleaning of pipeline of flour mill, internal removal of powdery material in large pipeline of chemical plant. The cleaning brush rotates inside the pipe at high speed to clean up the dust inside the pipe.



wide range of application

It can be adapted to different sizes of cleaning brush, can clean 50-1000mm pipe diameter of the air pipe. The flexible shaft brush is equipped with a strong motor to effectively loosen the dust of the wind pipe.



Adjustable speed

0-1400r/min speed adjustable for a variety of difficult working conditions, can be adjusted according to the field conditions.



Long cleaning distance

It is equipped with 15m flexible shaft, which can be cleaned 30m long distance air pipe at one time. The flexible shaft is light and easy to operate.



Reversible design

Reversible design, which can ensure that the pipe clean clean without dead corners.



Manual/remote control mode

Manual operation mode and remote control, convenient for single operation.

KT-926

Portable Air Duct Cleaning Machine

model	KT-926		
voltage	220V/50Hz	Cleaning diameter	50-1000mm
power	550W	rotate speed size of	0-1400r/min
weight of the main unit	35kg	the main unit	440*240*320mm
Flexible shaft length	15m(standard configuration)		

KT-926

Portable Air Duct Cleaning Machine



www.nadca.ae

KT-926 configuration list


standard configuration



Flexible shaft machine



flexible shaft



cleaning brush
Size is selected according to working conditions


KT-926 configuration list

SPECIFICATIONS	NEGATIVE AIR MACHINE
Negative Air Machine	220-240v ~ 50 Hz
Maximum power tool	2200 watts
Motor (Carbon Brush)	1100 watts
Flowrate	3.05m ³ /min (53l/sec)
Drum capacity	50L
Negative Air Machine Hose	Inlet Diameter 100 mm x 15m L



Applicable air duct range

Round Duct
Square Duct
Horizontal Duct
Vertical Duct



**All-round three-dimensional cleaning of the air duct The
vacuum cleaner absorbs and collects dust**

www.nadca.ae

Comparison of cleaning effect



before cleaning



after cleaning



before cleaning



after cleaning


range of application



Feed pipe



Flour mill access



Air duct



Hospital



School



Hotel



MAGIC TOUCH GROUP

M33, C Block, New Al Safia Building, Hor Al anz, Deira, Dubai

Near Abu Hail Metro Station

Tel +971 4262 6510

www.nadca.ae